

2024 SMDV

SMDV is a company that is not afraid of new things and strives to develop through challenges and adventures.

SMDV makes the joy of shooting



2024 SMDV BRAND CATALOG

SMDV

B-Series Strobe

B500HSS / B500TTL / B240HSS / B120HSS

Light weight and ease of use are essential!
B-series portable storbe offers a new experience in photography

Fast recharging and synchronization speeds help the shooting
proceed smoothly and add to the fun by energizing the shooting site.

CEO GREETINGS

Hello.

This is Jong-seok Kim, CEO of SMDV. Thank you for always using SMDV products.


It has already been 19 years since SMDV was established.

Using my experience as a professional photographer, I have developed and produced products that allow for comfortable photography and have become a global company that supplies them all over the world. SMDV's creative ideas made the FLIP, SPEED BOX, wireless release, radio slave and Strobe on the world. From the photographer's perspective, we will strive to become that constantly researches to create more convenient and high-quality products by carefully considering which parts can be improved. We ask for your continued love and interest in the future. Thank you.



SMDV CEO
김종석

SMDV is expanding into the world based on innovative technology! Exported to approximately 40 countries around the world!



Holds numerous patents!



- **North America** : USA, Canada
- **South America** : Mexico, Peru
- **Middle East** : Iran, Israel, Lebanon, Kuwait, Saudi Arabia, Türkiye, United Arab Emirates
- **Europe** : Austria, Belge, Bulgaria, Croatia, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Italy, Malta, Netherlands, Poland, Romania, Russia, Spain, Sweden, Switzerland
- **Asia** : Hong Kong, India, Indonesia, Japan, Singapore, Taiwan, Thailand
- **Africa** : Egypt, South Africa • **Oceania** : Australia

Wireless release, Radio slave, Softbox (invention patent), Photographic lighting (Hold TTL technology), and Video lighting (LED) developed with our own R&D technology are used not only in Korea but all over the world, improving the quality of products and improving the user experience. SMDV directly manages development, production, distribution, and after-sales service to ensure customer's satisfaction.

SMDV HISTORY

2003

"SM Development" was established
Sight line induction machine for baby launched
Wireless release for JS
2000 Medium format launched
Mesh type Vignette filter launched
Wireless release AF
N3 launched

2004

Wireless transmitter SMT125 launched

2005

Attended CP+ in Tokyo, Japan
SMT150 Wireless transmitter &
Remote shutter release launched

2006

Attended PMA in Las Vegas, U.S.A.
Attended Photokina in Cologne, Germany
RFN3 Wireless shutter release launched
Flash trigger MySlave60 launched
Start overseas export to Japan, Europe,
North America with ISO 9001, CE, FCC

2007

Change the company name to "SMDV"
The 2nd factory in China established
Wireless transmitter FlashWave1 launched
Wireless transmitter MySlave100 launched
1000W graded NEW Free7 transmitter launched

2008

Attended Photokina in Cologne, Germany
Wireless transmitter FlashWave II launched

2009

Obtained FCC approval for MySlave 100
Wireless transmitter 2.4GHZ FlashWave III
launched
Diffusion level brand FW-1, FW-1B launched

2010

Attended PMA in Las Vegas, U.S.A.
Attended Photokina in Cologne, Germany
Overseas export widened to Oceania,
Southeast Asia
Wire-Wireless shutter release RFN4 launched
Nikon Exclusive version of RFN4S launched
Wireless transmitter Flash Quick for Japan
launched / 2.4Ghz Wireless release RFN-2400
for Japan launched

2011

Applied for International patent for folding type
softbox

2012

SMDV office moved
Wireless transmitter FlashQuick II launched
Wireless controller Free-7s launched
Folding type Softbox launched
Attended Photokina in Cologne, Germany

2013

Speedbox-70 launched
Wireless roll screen controller launched
Awarded trophy for achievement of export
amount US\$1,000,000
Off-line showroom "SM Photo Town" opened

2014

Flashwave-4 Launch
Attended KOBIA International Broadcasting
Lighting
Attended Photokina, Germany

2015

SMDV Company building expanded
Flashwave-4 TTL Launched
Speedbox Launched
Attended Shanghai P&I show, China

2016

Flash BRIHT-360 TTL launched (2016)
FlashWave-5 TX launched
3 types of Speed bracket launched
Attended Photokina in Cologne, Germany
Attended P&I in Busan, Korea
VIP ASIA AWARDS 2016
- Awarded Top 100 brands in Asia

2017

TT-Control TTL transmitter launched
Subminiature wireless transmitter Mini-sync
Launched
Zoombounce launched
(Exclusive for BRIHT-360 TTL)
24-angled Speedbox MEGA type launched
BRIHT-360 M Flash launched
Attended P&I in Busan, Korea

2018

Wireless roll screen control system launched
Timer release in Korean/English launched
Zoombounce system for Megabox launched

2019

A500 (AC type) Flash launched
B500 (DC, AC type) Flash launched
A-control, B-control radio slave launched

2020

B360TTL Flash launched

2021

Soft box patent application for easy Flip folding
Flip Foldable Softbox Patent Application
Speedbox-Flip 20, 24, 28 General type /G-Type Launched
Speedbox-Flip 36,44 launched
Flip36Pro, Flip44Pro launched
B500HSS (DC, AC type) Flash launched
B120HSS (DC type) Flash launched

2022

Speedbox-Flip 32G launched
B240HSS (DC type) Flash launched
FlipBounce 44 launched
FlipBeauty20,24 launched
Flip Strip, Square Softbox launched

2023

Flip Nemo launched
Square, Strip, Rectangle (9 Types)

2024

C-09 Flex Stand launched
etc ...ing



SMDV

SMDV is a company that produces products that strive to improve the inconvenience of shooting. In 2003, we developed the JS-2000, a wireless release. In 2003, we developed the JS-2000, a wireless release for capturing perfect moments and introduced it to the world for the first time. Since then, we have been releasing innovative new products every year. We developed the TTL technology independently Korea's first and only and global patented SPEED BOX and even the FLIP line of soft boxes that fold in half! We are doing our best at every moment for the enjoyment of shooting with SMDV's unique creative ideas.

No more complicated and difficult photo equipment settings that interfere with the enjoyment of shooting!

Enjoy with the shooting and focus on results more with SMDV portable products!



SMDV Strobe

SMDV's B-series photo light compatible with camera brands such as Canon, Nikon, Fujifilm, and Sony When used with B-control, you can enjoy smooth shooting with seamless.

All lights are prohibited from being used simultaneously with charging.



B500 TTL

(DC Type / AC Power Type)

- Mount: Bowens
- 4Group, 80Channel, Power 500W
- Recycle Time : 0.05 ~ 2.2sec(DC BatteryPack)
1sec(AC Battery Pack)
- SyncSpeed: 1/8000sec
- Flash Duration: 1/200~1/10,000sec
- Modeling Lamp: LED17W
- Guide Number: ISO100 1M-F32
- Color Temperature: 5,600 ± 200K



B500 HSS

(DC Type / AC Power Type)

- Mount: Bowens
- 4Group, 80Channel, Power 500W
- Recycle Time : 0.05 ~ 2.2sec(DC BatteryPack)
1sec(AC Battery Pack)
- SyncSpeed: 1/8000sec
- Flash Duration: 1/200~1/10,000sec
- Modeling Lamp: LED17W
- Guide Number: ISO100 1M-F32
- Color Temperature: 5,600 ± 200K



B360 TTL

(DC Type)

- Mount: B360 Mount
- 4Group, 80Channel, Power 360W
- Recycle Time : 0.05 ~ 2sec
- SyncSpeed: 1/8000sec
- Flash Duration: 1/200~1/10,000sec
- Modeling Lamp: LED7W
- Guide Number: 72(Using ZoomReflector)
- Color Temperature: 5,600 ± 200K



A500

(AC Power Type)

- Mount: Bowens
- 6Group, 16Channel, Power 500W
- Recycle Time: 0.05 ~ 1.8sec
- SyncSpeed: 1/200sec
- Flash Output Control: 4.0 ~ 10.0 (Increasing 1)
- Modeling Lamp: AC150W
- Color Temperature: 5,600 ± 200K



B120 HSS

(DC Type / AC Power Type)

- Mount: Flip
- 4Group, 80Channel, Power 120W
- Recycle Time: 0.05 ~ 1sec
- SyncSpeed: 1/8000sec
- Flash Duration: 1/200~1/10,000sec
- Modeling Lamp: LED15W
- Guide Number: m/ISO 100 F22
- Operating Rnage: 75m
- Color Temperature: 5,600 ± 200K



B240 HSS

(DC Type / AC Power Type)

- Mount: Flip
- 4Group, 80Channel, Power 240W
- Recycle Time: 0.05 ~ 1.4sec
- SyncSpeed: 1/8000sec
- Flash Duration: 1/300~1/10,000±
- Modeling Lamp: LED17W
- Guide Number: m/ISO 100 F32
- Operating Rnage: 75m
- Color Temperature: 5,600 ± 200K



500W Strobe

- B500 TTL / B500 HSS



Creating a more luxurious glow light B500 Strobe

B500 TTL Strobe

First time in the Korea! This strobe is equipped with the self-developed TTL function and is a high-intensity, instantaneous light. The 500W light output is sufficient for outdoor use and the fast charging speed and light emission not only shorten shooting time but also help shooting proceed smoothly. It can be used in combination with battery and power source depending on the location.

B500 HSS Strobe

HSS model for photographers who use manual mode. Constant amount of light ensures high quality photos and allows for intuitive control, which further increases user's satisfaction. Two types is available: battery type (DC) and power type (AC), it can be conveniently used indoors or outdoors. (TTL model same / power type battery purchased separately)



B120 / B240 HSS



Weight

580g (B120) / 753g (B240)
Excluding Battery

Battery

Lithium Ion (14.4V / 2,500mAh)

Battery Charger

2hr

Recycle Time

0.05~1sec (B120) / 0.05~1.4sec (B240)

Modeling Lamp

LED 15W (B120) / LED 17W (B240)

Duration Time

1/200~1/10,000sec (B120)
1/300~1/10,000sec (B240)

Number of flashe at full power

900 times (B120) / 500 times(B240)t

Although compact in size, the B120/B240HSS is a great lighting that allows you to take a variety of photos, including portraits and products, with bright light without any problems. The bright modeling lamp 15W(B120) and 17W(B240) help you get a feel for the light before taking official photos. The large capacity battery of 2,500mAh increases the number of flashes and reduces the inconvenience of changing mid-shooting.



Compatibility with various accessories gives more fun to shooting and allows you to try unique photo shoots.

Flip G Series Softbox

The one-touch flip softbox lowers the contrast of light to create soft light.

Accessory

SM-08 Flex Stand / LightFilter CC Filter / B Snoot 90 / Standard Reflector etc



Filters



Flip G Series Softbox



B Snoot 90

Standard Reflector



SM-08 Flex Stand

SMDV

FLIP SOFTBOX SERIES



Neatly folded in half
SMDV proprietary
patented technology



Detachable Diffuser
Detachable Grid
Grid separately purchased



Fold and unduly
in 1 second



Easy Mount
installation



Excellent portability and
one-handed lightness



Diffuser all-in-One
Detachable Grid
Grid separately purchased




One-touch and magnetic
detachable
(AD200pro,C, A1, A2 adapter)



Easy angle adjustment
and mount on tripod

FLIP OCTA / NEMO

FLIP G TYPE



FlipBeauty20 / FlipBeauty24

It is a Beautydish product that blocks the light of the light source concentrated in the center with a reflector and creates a reflection effect to create a brighter and clearer light. Unlike conventional products with fixed shapes, Flip-type products reduce volume and weight significantly and increase portability.



FLIP Beauty 24 (Dia 60cm)

- Mount (Optional):
Bowens, Profoto, Elinchrom, Broncolor71.5, Broncolor 80.5
- For Strobe



FLIP Beauty 20 (Dia 50cm)

- Flip Mount:
AD200pro, C, S, A1, A2, G1, F1 adapter (Optional)
- For Speedlight, B120, B240, A1, A10, A2, V1, ad100pro, ad200pro, ad300pro etc



SPEEDBOX FLIP32G



Dia.: 80cm

Weight: 0.56kgs (Excluding Mount)



FLIP20G

Dia.: 50cm

Weight: 0.42kgs
(excluding Mount)



FLIP24G

Dia.: 60cm

Weight: 0.46kgs
(excluding Mount)



FLIP28G

Dia.: 70cm

Weight: 0.52kgs
(excluding Mount)

Integrated Diffuser

▲ Speedlight, B120HSS, B240HSS Compatibility

Mount

Please choose according to the flash you use. (Optional)
No separate mount is required for use with the B120 or B240.



AD200Pro
ad200/
ad200pro



C-adapter
A1, A10, V1
ad100pro



S-adapter
Speedlight



A1-adapter
A1, A10



A2-adapter
A2



G1-adapter
ad300pro,
ML60



F1-adapter
Forza60, 60B,
150

액세서리

LightFilter (Background Filters) | CC Filter (Color Correction Filter) - Optional

Light Filters



Red



Orange



SandyBrown



Yellow



Green



Blue



Purple



Diffuser



GelFrame



Honey
comb

CC Filters



Full CTO



1/2 CTO



Full CTB



1/2 CTB



1/2 Plus Green

Mount

For FLIP STROBE - FLIP OCTA, FLIP NEMO | Optional



Bowens



Profoto



AD300Pro



Elinchrom



Broncolor 71.5



Broncolor 80.5



FLIP NEMO 9 SERIES

4

RECTANGLE / SQUARE / STRIP



FLIP60x90

Size: 60*90cm
Weight: 0.9kgs
(excluding Mount)

FLIP75x100

Size: 75*100cm
Weight: 1.16kgs
(excluding Mount)

FLIP90x120

Size: 90*120cm
Weight: 1.24kgs
(excluding Mount)

Detachable Diffuser



FLIP60x60

Size: 60*60cm
Weight: 0.86kgs
(excluding Mount)

FLIP80x80

Size: 80*80cm
Weight: 1.00kgs
(excluding Mount)

FLIP100x100

Size: 100*100cm
Weight: 1.22kgs
(excluding Mount)

FLIP30x90

Size: 30*90cm
Weight: 0.82kgs
(excluding Mount)

FLIP30x120

Size: 30*120cm
Weight: 0.98kgs
(excluding Mount)

FLIP35x150

Size: 35*150cm
Weight: 1.18kgs
(excluding Mount)

Detachable Diffuser

For Strobe (Bowens, Profoto, Elinchrome, Broncolor : Mount Optional)



FLIP OCTA FLIP36pro

8

Dia.: 90cm
Weight: 0.84kgs (Excluding Mount)



FLIP44pro

Dia.: 110cm
Weight: 1.06kgs
(Excluding Mount)

Detachable Diffuser



FlipBounce44

Dia.: 110cm
Weight: 0.8kgs
(Excluding Mount)

Detachable Diffuser

C-09

Flex Stand

Carbon Fiber

- Max.height: 2250mm
- Min.height: 590mm
- Folded height: 600mm
- Material: Carbon Fibers
- Weight: 987g
- Max.load: 7.0kg



It can be used as a monopod by separating the center pole.

Hook for weights or bags to increase the safety of the stand

Battery Type

Release cable is required when using the wireless release function - Optional



B-Control

Channel: 80 | Group: 4
Light Amount adjustable
HSS: 1/8000sec
Shutter Speed: 1/250sec
Max working range: 70m
Strobe: B500TTL, B500HSS
B360TTL, B240HSS, B120HSS



A-Control

Channel: 16 | Group: 6
Light Amount adjustable
Shutter Speed: 1/200sec
Max working range: 100m
Strobe: A500



FlashWave-4 TTL

Canon

Channel: 80 | Group: 4
Shutter Speed: 1/8000sec
Max working range: 150m



mini-sync

Channel : 16
Shutter Speed: 1/200sec
Max working range : 50m



FlashWave-3

Channel: 16
Shutter Speed:
1/250sec(Canon),
1/200sec(Nikon)
1/160(Sony)
Max working range: 80m



FlashWave-4

Channel: 80 | Group: 4
Shutter Speed: 1/8000sec
Max working range: 150m

Release Cable Release Cable For Radio Slave (Optional)



RC-602
Olympus



RC-603
Nikon



RC-605
Canon
Fujifilm



RC-607
Sony



RC-608
Nikon



RC-611
Canon



RC-613
Sony

AC Power Type



FW AC

Channel: 16
Shutter Speed: 1/180초
Max working range: 20~30m



Free7 pro

Channel: 16
Shutter Speed: 1/250sec
Max working range: 100m



Wireless RollScreen Controller

Channel: 16
Screen Control: 6



Olympus T802

Cable : RC-T802

OM-D E-M1, E-M5, E-M5 mark2, E-M10, E-M10 mark2
 PEN PEN-F, E-P1, E-P2, E-P3, E-P5, E-PL2, E-PL3, E-PL5, E-PL6, E-PL7, E-PL8, E-PM1, E-PM2, E620, E520, E510, E-450, E420, E30, E410, E400, SP-820UZ, SP-810UZ, SP-720UZ, SP-620UZ, SP-590UZ, SP-570UZ, SP-565UZ, SP-560UZ, SP-550UZ, SP-510UZ



Nikon T803

Cable : RC-T803

Z8, Z9, D850, D810, D800, E800E, D700, D500, D300, D300s, D200, D100 (Battery Grip Required), D5, D4, D4S, D3, D3S, D3X, D2, D2X, D2Xs, D2Hs, D2H, D1H, D1, F6, F100, F90X, F90



Canon T805

Cable : RC-T805

EOS R10, R8, R7, R6, R, RP, 1300D, 1100D, 1000D, 850D, 800D, 760D, 750D, 700D, 650D, 600D, 550D, 500D, 450D, 400D, 350D, 300D, 200D II, 200D, 100D, 90D, 80D, 77D, 70D, 60D, EOS 30, 50, 500N, Kiss, 300, 88, 66, 55, M5, M6, M6 mark II
 Power shot G1X, G10, G11, G12, G15, SX50HS, SX60HS, SX70HS, EOS Hi, EOS 70D, G3X, G5X, G16, G1X Mark II



Fujifilm T805

Cable : RC-T805

GFX100, GFX100S, GFX50S II, GFX50S, GFX50R, X-H1, X-PRO3, X-PRO2, X-T5, X-T4, X-T3, X-T2, X-T1, X-T30 II, X-T30, X-T20, X-T10, X-T100, X-E4, X-E3, X-E2S, X-E2, X-E1, X-A7, X-A5, X-A10, X100V, X100F, X100T, X70, X30, XF10, X-H2S



Sony T807

Cable : RC-T807

a900, a850, a700, a580, a560, a550, a500, a450, a350, a300, a200, a100, a99, a99 II, a77, a77 II, a65, a57, a55, a35, a33, a5



Nikon T808

Cable : RC-T808

Z5, Z6, Z6 II, Z7, Z7 II, D90, D780, D750, D600, D610, D3100, D3200, D3300, D5000, D5100, D5200, D5300, D5500, D5600, D7000, D7100, D7200, D7500, COOLPIX A, COOLPIX P7700, COOLPIX P1000, Df



Canon T811

Cable : RC-T811

EOS R5, R3, 1D, 1D Mark II, 1D Mark III, 1D Mark IV, 1Ds, 1Ds Mark II, 1Ds Mark III, 1Dx, 1Dx Mark II, 1Dx Mark III, 5D, 5D Mark II, 5D Mark III, 5D Mark IV, 5Ds, 5DsR, 6D, 6D Mark II, 7D, 7D Mark II, 50D, 40D, 30D, 20D, 10D, D60, D30
 Film Camera EOS3, EOS1V HS, EOS1V



Sony T813

Cable : RC-T813

a1, a7, a7s, a7s2, a7s3, a7m2, a7m3, a7m4, a7r, a7r2, a7r3, a7r4, a7r5, a9, a9 mark II, a6600, a6500, a6400, a6300, a6100, a6000, a5100, a5000, a3500, a3000, a58, NEX-3NL, RX100M7, RX100M6, RX100M5, RX100M4, RX100M3, RX100M2, RX10, RX10M2, RX10M3, RX10M4, RX1RM2, HX60V, HX300, HX400V

LCD View Finder



It protects your eyes in overexposed environments and helps you see accurate colors.

Please check the compatible camera model.
 (Check at smdvglobal.com)

Eye Peice E-01 / E-02 / E-03



Can check the screen at 1.35x magnification through 3 layers of high-quality lenses.

Please check the compatible camera model.
 (Check at smdvglobal.com)



Olympus RF-902

Cable : RC-902

OM-D E-M1, E-M5, E-M5 mark2, E-M10, E-M10 mark2
 PEN PEN-F, E-P1, E-P2, E-P3, E-P5, E-PL2, E-PL3, E-PL5, E-PL6, E-PL7, E-PL8, E-PM1, E-PM2, E620, E520, E510, E-450, E420, E30, E410, E400, SP-820UZ, SP-810UZ, SP-720UZ, SP-620UZ, SP-590UZ, SP-570UZ, SP-565UZ, SP-560UZ, SP-550UZ, SP-510UZ



Nikon RF-903

Cable : RC-903

Z8, Z9, D850, D810, D800, D800E, D700, D500, D300, D300s, D200, D100 (Battery Grip Required), D5, D4, D4S, D3, D3S, D3X, D2, D2X, D2Xs, D2Hs, D2H, D1H, D1, F6, F100, F90X, F90



Canon RF-905

Cable : RC-905

EOS R10, R8, R7, R6, R, RP, 1300D, 1100D, 1000D, 850D, 800D, 760D, 750D, 700D, 650D, 600D, 550D, 500D, 450D, 400D, 350D, 300D, 200D II, 200D, 100D, 90D, 80D, 77D, 70D, 60D, EOS 30, 50, 500N, Kiss, 300, 88, 66, 55, M5, M6, M6 mark II
Power shot G1X, G10, G11, G12, G15, SX50HS, SX60HS, SX70HS, EOS Hi, EOS 70D, G3X, G5X, G16, G1X Mark II



Fujifilm RF-905

Cable : RC-905

GFX100, GFX100S, GFX50S II, GFX50S, GFX50R, X-H1, X-PRO3, X-PRO2, X-T5, X-T4, X-T3, X-T2, X-T1, X-T30 II, X-T30, X-T20, X-T10, X-T100, X-E4, X-E3, X-E2S, X-E2, X-E1, X-A7, X-A5, X-A10, X100V, X100F, X100T, X70, X30, XF10, X-H2S



Sony RF-907

Cable : RC-907

a900, a850, a700, a580, a560, a550, a500, a450, a350, a300, a200, a100, a99, a99 II, a77, a77 II, a65, a57, a55, a35, a33, a5



Nikon RF-908

Cable : RC-908

Z5, Z6, Z6 II, Z7, Z7 II, D90, D780, D750, D600, D610, D3100, D3200, D3300, D5000, D5100, D5200, D5300, D5500, D5600, D7000, D7100, D7200, D7500, COOLPIX A, COOLPIX P7700, COOLPIX P1000, Df



Canon RF-911

Cable : RC-911

EOS R5, R3, 1D, 1DMark II 1DMark III, 1DMark IV, 1Ds, 1DsMark II, 1DsMark III, 1Dx, 1DxMark II, 1DxMark III, 5D, 5DMark II, 5DMark III, 5D Mark IV, 5Ds, 5DsR, 6D, 6DMark II, 7D, 7DMark II, 50D, 40D, 30D, 20D, 10D, D60, D30
Film Camera EOS3, EOS1V HS, EOS1V



Sony RF-913

Cable : RC-913

a1, a7, a7s, a7s2, a7s3, a7m2, a7m3, a7m4, a7r, a7r2, a7r3, a7r4, a7r5, a9, a9 mark II, a6600, a6500, a6400, a6300, a6100, a6000, a5100, a5000, a3500, a3000, a58, NEX-3NL, RX100M7, RX100M6, RX100M5, RX100M4, RX100M3, RX100M2, RX10, RX10M2, RX10M3, RX10M4, RX1RM2, HX60V, HX300, HX400V



Nikon RFN4s

Z5, Z6, Z6 II, Z7, Z7 II, D90, D780, D750, D600, D610, D3100, D3200, D3300, D5000, D5100, D5200, D5300, D5500, D5600, D7000, D7100, D7200, D7500, COOLPIX A, COOLPIX P7700, COOLPIX P1000, Df



Lights : B500 TTL, B500 HSS



B500 TTL
DC / AC Type

Canon / Nikon / Fujifilm / Sony



B500 HSS
DC / AC Type

Canon / Nikon / Fujifilm / Sony

Lights : B360 TTL, A500



B360 TTL
DC Type

Canon / Nikon / Fujifilm / Sony



A500
AC Type

Lights : B120 HSS, B240 HSS



B120 HSS
DC Type

Canon / Nikon / Fujifilm / Sony



B240 HSS
DC Type

Canon / Nikon / Fujifilm / Sony

Accessory (For B120,B240)



Standard Reflector



Dome Diffuser



B Snoot 90



Angle Grip



Battery



Battery Charger

Accessory (For A500, B500)



Standard Reflector



Medium Reflector



Narrow Reflector



Beam Reflector



Back Reflector



Snoot Reflector



Bamdoor Reflector



Beautydish Reflector



BR-80
Only B500



B-02 Battery
Only B500



BatteryCharger
Only B500



Battery AC Pack
Only B500



FlashTube
Only B500



FlashTube
Only A500



Modeling Lamp
Only A500



Color Filter
Only B500

Accessory (For B360)



BR-Hotspot Reflector



BR-40 Reflector



BR-120 Reflector



BR-170 Reflector



Honeycomb Grid
HC-120 / HC-170 / HC-300



Color Filter



BR-300 Reflector (White/Silver)



FlashTube



Battery



Battery Charger

Radio Slave (For SMDV Lights)



A-Control
For A500



B-Control
B500 TTL B500 HSS
B360 TTL B240 HSS
B120 HSS

Radio Slave

Battery Type



FlashWave-4 TTL

Only Canon



FlashWave-4



FlashWave-3

AC-Power Type



FW AC



Free-7 pro



Wireless RollScreen
Controller

Release (Replace cables by BRAND)



RFN4 Series



Only Nikon

RFN4s



Timer Remote
Controller

Stand



SM-08 Flex Stand

Max.height: 2180mm
Folded height: 490mm
Weight: 800g
Material: Carbon+Aluminum
Safe load: 1.5kg



C-09 Flex Stand

Max.height: 2250mm
Folded height: 600mm
Weight: 987g
Material: Carbon
Max.load: 7.0kg

SMDV Softbox



For Strobe

Grid Optional



Speedbox-Mega

Deep

SPEEDBOX-MEGA 90
SPEEDBOX-MEGA 110
SPEEDBOX-MEGA 130

white silver



Speedbox-Mega

Wide

SPEEDBOX-MEGA 140
SPEEDBOX-MEGA 160
SPEEDBOX-MEGA 180

white silver



FLIP OCTA

FLIP36pro
FLIP44pro



FLIP NEMO Square

FLIP60x60 / FLIP80x80
FLIP100x100



FLIP NEMO Strip

FLIP30x90 / FLIP30x120
FLIP35x150



FLIP NEMO Rectangle

FLIP60x90 / FLIP75x100
FLIP90x120



Zoom Focusing System



ZoomBounce - 100

Mount



Bowens



Profoto



Elinchrom



Broncolor
71.5



Broncolor
80.5



AD300Pro

For Speedlight



FLIP20G



FLIP24G



FLIP28G



FLIP32G

Flip Accessory



Flip Beautydish

FLIP BEAUTY 20

: For Speedlight

FLIP BEAUTY 24

: For Strobe



Flip Bounce

FLIP BOUNCE 44

Accessory (For Speedbox-Flip)

LightFilter, CC Filter, Diffuser, HoneycombGrid, Gel Frame is compatible with B120HSS & B240HSS



AD200pro



C adapter



S adapter



A1 adapter



GRID



LightFilter 7 colors

Red, SandyBrown
Orange, Yellow, Green
Blue, Purple



CC Filter 5 colors

CTO, 1/2 CTO, CTB,
1/2 CTB, 1/2 Plus Green



Diffuser



Honeycomb
Grid



Gel
Frame

FLIP NEMO

SMDV self-developed!
Patented flip type softbox!

The No.1 sales of SMDV's softbox that anyone can quickly and easily install and disassemble!
From octagon to square(Nemo) shape! Meet the products in various sizes



Address.

1532, Nakdong-daero, Sasang-gu, Busan, Republic of Korea

Tel. +82 (0)51 324 0788 | Fax. +82 (0)51 301 0788 | E-mail. smdv@naver.com



smdv.kr
smdvglobal.com